

Product

Product presentation



Molygen New Generation 5W-30 DPF



LIQUI MOLY recommends this product for vehicles or assemblies for which the following specifications or original part numbers are required:

ACEA C2, ACEA C3, API SN, BMW Longlife-04, GM dexos2, Hyundai, Kia, MB 229.31, MB 229.51, MB 229.52

The operating regulations of the vehicle and engine manufacturers must be followed.

Note: Full effectiveness is only guaranteed when used unmixed.

Synthetic technology low-friction motor oil with innovative Molygen wear-protection technology and extremely high power reserve for maximum performance. Good dirt suspending and cleaning capacity ensures optimum engine cleanliness. The results are savings in fuel and an extended service life for the engine. Assures reliable operation and maximizes the operating life of the diesel particulate filter (DPF). Exceeds the test requirements of well-known vehicle manufacturers.

For gasoline and diesel engines including common rail technology. Particularly suited for vehicles with a diesel particulate filter (DPF), also for retrofits.

Properties

- smooth engine running
- excellent wear protection
- outstanding lubrication reliability
- high shear stability
- ensures a long engine life
- reduces fuel consumption
- outstanding engine cleanliness
- rapid oil delivery at low temperatures
- optimum stability to aging
- optimum oil pressure under all operating conditions
- especially suitable for vehicles with diesel particulate filter
- tested for turbochargers and catalytic converters
- mixable with all commercially available motor oils

Part no.	Product	Content	Type of container	Language	PU
21224	Molygen New Generation 5W-30 DPF	1 l	Canister plastic	BOOKLET	6
21225	Molygen New Generation 5W-30 DPF	4 l	Canister plastic	BOOKLET	4

Product presentation



Molygen New Generation 5W-50



Specifications and approvals:

API SN

The operating regulations of the vehicle and engine manufacturers must be followed.

Note: Full effectiveness is only guaranteed when used unmixed.

High performance low-friction motor oil. The combination of unconventional base oils and advanced additive technology as well as the special Molygen additive ensures that the motor oil is of low viscosity with a high shear stability and reliably prevents the formation of deposits, significantly reducing frictional losses in the engine and providing the optimum protection from wear. This results in fuel savings and an extended service life for the engine.

Optimum for modern Japanese and American gasoline engines with multi-valve technology and turbocharging with and without charge air cooling. For the protection and value conservation of the engine during long intervals between oil changes and when there are extreme engine requirements.

Properties

- outstanding engine cleanliness
- excellent wear resistance
- mixable with all commercially available motor oils
- excellent high and low temperature behavior
- saves fuel and reduces pollutant emissions
- friction and wear reducing
- smooth engine running
- optimum stability to aging
- outstanding shear resistance
- rapid oil delivery at low temperatures
- tested for turbochargers and catalytic converters
- outstanding lubrication reliability

Part no.	Product	Content	Type of container	Language	PU
21124	Molygen New Generation 5W-50	1 l	Canister plastic	BOOKLET	6

LIQUI MOLY GmbH
Jerg-Wieland-Straße 4
89081 Ulm
GERMANY

Phone: +49 731 1420-0
Fax: +49 731 1420-75
E-Mail: info@liqui-moly.com
www.liqui-moly.com

Technical Support:
Phone: +49 731 1420-871
E-Mail: support@liqui-moly.com

No liability for misprints.
Subject to technical modifications.

510051805

